

# **A Smith Predictor FL-Based Controller For Processes With Long Dead Time**

**Al-Sunni, F; Al-Nemer, T**

**TAYLOR FRANCIS LTD, INTERNATIONAL JOURNAL OF SYSTEMS SCIENCE; pp:  
1251-1258; Vol: 28**

King Fahd University of Petroleum & Minerals

**<http://www.kfupm.edu.sa>**

## **Summary**

A Smith predictor (SP) fuzzy logic (FL) based controller for processes with long dead time is proposed. The basic concept is to combine the Smith predictor scheme with FL. The FL, in this scheme, is going to be used to auto-tune the PI controller while the SP is going to compensate for the long dead time that is commonly associated with different processes. The new scheme has been tested on several simulated plant models and demonstrated marked improvements in the performance. The simulation results demonstrated the ability of the new scheme to accommodate uncertainties in the plant model.

## **References:**

1. ALSUNNI FM, 1997, IFAC C CONTR IND SYS
2. ASTROM KJ, 1988, AUTOMATIC TUNING PID
3. ASTROM KJ, 1992, IFAC ADAPTIVE SYSTEM
4. DONOGHUE JF, 1977, ISA T, V16
5. HAGGLUND T, 1992, IEEE CONTROL SYSTEMS, V12, P57
6. HANG CC, 1995, INT J ADAPT CONTROL, V9, P255
7. HO WK, 1991, THESIS NATL U SINGAP
8. LEE CC, 1990, IEEE T SYST MAN CYB, V20, P404
9. MAMDANI EH, 1975, INT J MAN MACH STUD, V7, P1
10. SCHLECK JR, 1978, ISA T, V17
11. SEBORG DE, 1989, PROCESS DYNAMICS CON
12. ZADEH LA, 1973, IEEE T SYST MAN CYB, V3, P28

For pre-prints please write to: [abstracts@kfupm.edu.sa](mailto:abstracts@kfupm.edu.sa)